


NUURA



LIILA 1 MEDIUM WALL/CEILING - Optic

Design: Sofie Refer, 2018. US-model.

Liila 1 Wall/Ceiling in mouth blown Optic Clear glass and Nordic Gold finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkeling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 1 Wall/Ceiling works perfectly single or grouped in a decorative formation. Liila 1 also suits smaller rooms, the bathroom and the entrance hall.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



NUURA

TECHNICAL INFO

Product no.: 94480123

Type: Wall Light - Indoor

Colour:

Glass: Optic Clear

Metal: Nordic Gold

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

∅6,5in x 6,69in

Product weight:

Product: 999 g

Packaging:

Dimensions: L: 13,31in x W: 7,64in x H: 6,89in

Weight: 475 g

Total weight incl. product: 1474 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 187 g

Cardboard inside: 274 g

Bubble wrap: 6 g

Plastic bag: 8 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

□ - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:



Equivalent to Illumination G9 (344-07), 2.3W

Dimmability:

Can be fitted with an aligned dimmer.

DALI compatible

Light calculations:



NUURA



LIILA 1 MEDIUM WALL/CEILING - Opal

Design: Sofie Refer, 2018. US-model.

Liila 1 Wall/Ceiling in mouth blown Opal White glass and Nordic Gold finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkeling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 1 Wall/Ceiling works perfectly single or grouped in a decorative formation. Liila 1 also suits smaller rooms, the bathroom and the entrance hall.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



TECHNICAL INFO

Product no.: 94480124

Type: Wall Light - Indoor

Colour:

Glass: Opal White

Metal: Nordic Gold

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

∅6,5in x 6,69in

Product weight:

Product: 999 g

Packaging:

Dimensions: L: 13,31in x W: 7,64in x H: 6,89in

Weight: 475 g

Total weight incl. product: 1474 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 187 g

Cardboard inside: 274 g

Bubble wrap: 6 g

Plastic bag: 8 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

 - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:



Equivalent to Illumination G9 (344-09), 3.6W

Dimmability:

Can be fitted with an aligned dimmer.

DALI compatible

Light calculations:



NUURA



LIILA 1 MEDIUM WALL/CEILING - Optic

Design: Sofie Refer, 2018. US-model.

Liila 1 Wall/Ceiling in mouth blown Optic Clear glass and Light Silver finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkeling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 1 Wall/Ceiling works perfectly single or grouped in a decorative formation. Liila 1 also suits smaller rooms, the bathroom and the entrance hall.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



TECHNICAL INFO

Product no.: 94480323

Type: Wall Light - Indoor

Colour:

Glass: Optic Clear

Metal: Light Silver

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

∅6,5in x 6,69in

Product weight:

Product: 999 g

Packaging:

Dimensions: L: 13,31in x W: 7,64in x H: 6,89in

Weight: 475 g

Total weight incl. product: 1474 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 187 g

Cardboard inside: 274 g

Bubble wrap: 6 g

Plastic bag: 8 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

□ - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:



Equivalent to Illumination G9 (344-07), 2.3W

Dimmability:


Can be fitted with an aligned dimmer.

DALI compatible

Light calculations:



NUURA



LIILA 1 MEDIUM WALL/CEILING - Opal

Design: Sofie Refer, 2018. US-model.

Liila 1 Wall/Ceiling in mouth blown Opal White glass and Light Silver finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkeling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 1 Wall/Ceiling works perfectly single or grouped in a decorative formation. Liila 1 also suits smaller rooms, the bathroom and the entrance hall.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



TECHNICAL INFO

Product no.: 94480324

Type: Wall Light - Indoor

Colour:

Glass: Opal White

Metal: Light Silver

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

∅6,5in x 6,69in

Product weight:

Product: 999 g

Packaging:

Dimensions: L: 13,31in x W: 7,64in x H: 6,89in-

Weight: 475 g

Total weight incl. product: 1474 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 187 g

Cardboard inside: 274 g

Bubble wrap: 6 g

Plastic bag: 8 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

□ - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:



Equivalent to Illumination G9 (344-09), 3.6W

Dimmability:


Can be fitted with an aligned dimmer.

DALI compatible

Light calculations:



NUURA



LIILA 1 LARGE WALL/CEILING - Optic

Design: Sofie Refer, 2018. US-model.

Liila 1 Large Wall/Ceiling in mouth blown Optic Clear glass and Nordic Gold finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 1 Large Wall/Ceiling works perfectly single or grouped in a decorative formation. Liila 1 also suits smaller rooms, the bathroom and the entrance hall.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



TECHNICAL INFO

Product no.: 94490123

Type: Wall Light - Indoor

Colour:

Glass: Optic Clear

Metal: Nordic Gold

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

∅9,65in x 9,06in

Product weight:

Product: 1190 g

Packaging:

Dimensions: L: 20,59in x W: 11,9in x H: 9,4in

Weight: 1014 g

Total weight incl. product: 2204 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 396 g

Cardboard inside: 582 g

Bubble wrap: 24 g

Plastic bag: 12 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

□ - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:



Equivalent to Illumination G9 (344-47), 5.6W

Dimmability:

Can be fitted with an aligned dimmer.

DALI compatible

Light calculations:



NUURA



LIILA 1 LARGE WALL/CEILING - Opal

Design: Sofie Refer, 2018. US-model.

Liila 1 Large Wall/Ceiling in mouth blown Opal White glass and Nordic Gold finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkeling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 1 Large Wall/Ceiling works perfectly single or grouped in a decorative formation. Liila 1 also suits smaller rooms, the bathroom and the entrance hall.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



NUURA

TECHNICAL INFO

Product no.: 94490124

Type: Wall Light - Indoor

Colour:

Glass: Opal White
Metal: Nordic Gold

Materials:

Powder coated metal
Mouth-blown glass

Dimensions:

∅9,65in x 9,06in

Product weight:

Product: 1190 g

Packaging:

Dimensions: L: 20,59in x W: 11,9in x H: 9,4in
Weight: 1014 g
Total weight incl. product: 2204 g
Number of parcels: 1
Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 396 g
Cardboard inside: 582 g
Bubble wrap: 24 g
Plastic bag: 12 g

Cleaning:

Use a soft dry cloth to clean the product.
Do not use household cleaners.

Certifications and labels:

CE - CE-certified
IP20 - IP20
□ - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9
Max wattage: 7W LED (Bulb not included)
Voltage (V): 120V

Recommended light source:



Equivalent to Illumination G9 (344-47), 5.6W

Dimmability:


Can be fitted with an aligned dimmer.

DALI compatible

Light calculations:



NUURA



LIILA 1 LARGE WALL/CEILING - Optic

Design: Sofie Refer, 2018. US-model.

Liila 1 Large Wall/Ceiling in mouth blown Optic Clear glass and Light Silver finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 1 Large Wall/Ceiling works perfectly single or grouped in a decorative formation. Liila 1 also suits smaller rooms, the bathroom and the entrance hall.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



TECHNICAL INFO

Product no.: 94490323

Type: Wall Light - Indoor

Colour:

Glass: Optic Clear

Metal: Light Silver

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

∅9,65in x 9,06in

Product weight:

Product: 1190 g

Packaging:

Dimensions: L: 20,59in x W: 11,9in x H: 9,4in

Weight: 1014 g

Total weight incl. product: 2204 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 396 g

Cardboard inside: 582 g

Bubble wrap: 24 g

Plastic bag: 12 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

 - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:



Equivalent to Illumination G9 (344-47), 5.6W

Dimmability:


Can be fitted with an aligned dimmer.

DALI compatible

Light calculations:



NUURA



LIILA 1 LARGE WALL/CEILING - Opal

Design: Sofie Refer, 2018. US-model.

Liila 1 Large Wall/Ceiling in mouth blown Opal White glass and Light Silver finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkeling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 1 Large Wall/Ceiling works perfectly single or grouped in a decorative formation. Liila 1 also suits smaller rooms, the bathroom and the entrance hall.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



TECHNICAL INFO

Product no.: 94490324

Type: Wall Light - Indoor

Colour:

Glass: Opal White

Metal: Light Silver

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

∅9,65in x 9,06in

Product weight:

Product: 1190 g

Packaging:

Dimensions: L: 20,59in x W: 11,9in x H: 9,4in

Weight: 1014 g

Total weight incl. product: 2204 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 396 g

Cardboard inside: 582 g

Bubble wrap: 24 g

Plastic bag: 12 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

□ - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:



Equivalent to Illumination G9 (344-47), 5.6W

Dimmability:

Can be fitted with an aligned dimmer.

DALI compatible

Light calculations:



NUURA



LIILA 12 WALL/CEILING - Optic

Design: Sofie Refer, 2018. US-model.

Liila 12 Wall/Ceiling in mouth blown Optic Clear glass and Nordic Gold finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 12 Wall/Ceiling is a unique interpretation of the classic chandelier - a sensuous lighting sculpture that reflects the abundance of nature.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



TECHNICAL INFO

Product no.: 94120123

Type: Wall Light - Indoor

Colour:

Glass: Optic Clear

Metal: Nordic Gold

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

33,27in x 33,27in

Product weight:

Product: 14300 g

Packaging:

Dimensions: L: 34,25in x W: 34,06in x H: 9,06in

Weight: 6200 g

Total weight incl. product: 20500 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 3500 g

Cardboard inside: 2560 g

Bubble wrap: 140 g

Plastic bag: 0 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

⊕ - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:

Equivalent to Illumination G9 (344-07), 2.3W


Dimmability:

Can be fitted with an aligned dimmer.

DALI compatible



NUURA



LIILA 12 WALL/CEILING - Opal

Design: Sofie Refer, 2018. US-model.

Liila 12 Wall/Ceiling in mouth blown Optic Clear glass and Nordic Gold finish.

Liila Collection has a Nordic simplistic yet sensuous look due to the fine reflections in the glass and metal. The mouth blown glass is elegantly framed by the metal disc in soft metallic finish.


While the version in Optic Clear glass creates sparkling reflections, the version in Opal White glass completes the minimalistic Nordic look.

Liila 12 Wall/Ceiling is a unique interpretation of the classic chandelier - a sensuous lighting sculpture that reflects the abundance of nature.

Liila collection:

The Liila collection include the following products:

- Liila 1 Wall/Ceiling / Optic
- Liila 1 Wall/Ceiling / Opal
- Liila 1 Large Wall/Ceiling / Optic
- Liila 1 Large Wall/Ceiling / Opal
- Liila 12 Wall/Ceiling / Optic
- Liila 12 Wall/Ceiling / Opal



NUURA

TECHNICAL INFO

Product no.: 94120124

Type: Wall Light - Indoor

Colour:

Glass: Opal White

Metal: Nordic Gold

Materials:

Powder coated metal

Mouth-blown glass

Dimensions:

33,27in x 33,27in

Product weight:

Product: 14300 g

Packaging:

Dimensions: L: 34,25in x W: 34,06in x H: 9,06in

Weight: 6200 g

Total weight incl. product: 20500 g

Number of parcels: 1

Material: Brown cardboard.

Packaging - weight - material:

Cardboard outside: 3500 g

Cardboard inside: 2560 g

Bubble wrap: 140 g

Plastic bag: 0 g

Cleaning:

Use a soft dry cloth to clean the product.

Do not use household cleaners.

Certifications and labels:

CE - CE-certified

IP20 - IP20

⊕ - Class II

This fixture is fabricated with UL rated components, but the fixture itself is not UL listed. This option may be available for an additional fee.

Light source:

Socket: G9

Max wattage: 7W LED (Bulb not included)

Voltage (V): 120V

Recommended light source:

Equivalent to Illumination G9 (344-07), 2.3W

Dimmability:

Can be fitted with an aligned dimmer.

DALI compatible

